

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 1113 | 726/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/02 12:10 |
| S1 | 0 | "10621952" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/18 09:19 |
| S2 | 2 | "20050015601" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/19 12:46 |
| S3 | 12 | session near2 (identif\$5 identification) same (de- allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:44 |
| S4 | 56 | independent with (de- allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 09:48 |
| S5 | 1675 | session near2 (identif\$5 identification) same (sav \$3 stor\$3) and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 10:23 |
| S6 | 858 | session near2 (identif\$5 identification) with (sav\$3 stor\$3) and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 10:23 |
| S7 | 3 | session near2 (identif\$5 identification) with (sav\$3 stor\$3) with retain\$3 and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 10:25 |
| S8 | 10 | session near2 (identif\$5 identification) with (sav\$3 stor\$3) same retain\$3 and @ad< "20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:33 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S9 | 78 | retain\$3 with (de-allocat \$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 10:27 |
| S10 | 0 | session near2 (identif\$5 identification) same("not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat \$5) delet\$3 eras\$3)) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:25 |
| S11 | 0 | (identif\$5 identification) same("not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras \$3)) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:23 |
| S12 | 0 | ("not" near2 (de-allocat \$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras \$3)) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:23 |
| S13 | 0 | ("not" near2 (de-allocat \$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras \$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:24 |
| S14 | 3 | ("not" with (de-allocat\$5 deallocat\$5 (de adj allocat \$5) delet\$3 eras\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:24 |
| S15 | 371 | session near2 (identif\$5 identification) same cookie and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:25 |
| S16 | 306 | session near2 (identif\$5 identification) with cookie and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 17:49 |
| S17 | 12 | session near2 (identif\$5 identification) with cookie same (sav\$3 retain\$3) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:26 |
| S18 | 1 | S8 and cookie | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:33 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S19 | 21 | session near2 (identif\$5 identification ID) same (de-allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 11:46 |
| S20 | 17 | session near2 (identif\$5 identification ID) with cookie and @ad<"20030717" and (cookie or session near2 (identif\$5 identification ID)) with retain\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 12:22 |
| S21 | 90 | session near2 (identif\$5 identification ID) with cookie same authenticat \$5 and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 15:26 |
| S22 | 162 | "5875296" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 17:08 |
| S23 | 1309 | (remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:18 |
| S24 | 9 | (remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id))) with inactivity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 17:22 |
| S25 | 11 | (remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id))) with inactiv\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 17:22 |
| S26 | 3 | session near2 (identif\$5 identification) with cookie and @ad<"20030717" and (lock\$3 with memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 17:49 |
| S27 | 10 | (cookie or (session adj (identifier identification id))) same (shar\$3 with buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:19 |
| S28 | 10 | (cookie or (session adj (identifier identification id))) same (shar\$3 with buffer) and @ad<"20030718" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:37 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S29 | 647 | 726/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:37 |
| S30 | 2 | "20010047477" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/19 12:46 |
| S31 | 2 | "20050015601" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 10:40 |
| S32 | 2 | "20040068572" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:17 |
| S33 | 0 | "20040068572" and embed\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:17 |
| S34 | 11 | session near2 (identif\$5 identification ID) same embedded near2 system | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:29 |
| S35 | 7 | session near2 (identif\$5 identification ID) same embedded near2 system and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:30 |
| S36 | 190 | session near2 (identif\$5 identification ID) same embedded and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:31 |
| S37 | 13 | session near2 (identif\$5 identification ID) same embedded near2 (device system) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:31 |
| S38 | 218 | session near2 (identif\$5 identification ID) and embedded near2 (system) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:44 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S39 | 26225 | session near2 (identif\$5 identification ID) same2 embedded near2 (system) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:44 |
| S40 | 218 | session near2 (identif\$5 identification ID) and embedded near2 (system) and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:44 |
| S41 | 27 | session near2 (identif\$5 identification ID) and embedded near2 (system) and cookie and @ad<"20030717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 11:45 |
| S42 | 2 | "20040107282" and cache with cookie | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 12:08 |
| S43 | 874 | 726/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/08 12:57 |
| S44 | 2 | "20050015601" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 11:26 |
| S45 | 333 | @ad<"20030717" and (cookie (session adj (id identifier))) and embedded near2 system | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 13:14 |
| S46 | 124 | @ad<"20030717" and (cookie (session adj (id identifier))) with (client embedded) and embedded near2 system | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 13:14 |
| S47 | 202 | @ad<"20030717" and (cookie (session adj (id identifier))) with (client embedded) and server near2 dedicat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:08 |
| S48 | 2 | @ad<"20030717" and (cookie (session adj (id identifier))) with (client embedded) same server near2 dedicat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:08 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S49 | 11 | @ad<"20030717" and (cookie (session adj (id identifier))) same server near2 dedicat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:09 |
| S50 | 38 | @ad<"20030717" and (cookie (session adj (id identifier))) with (cellular cell) near2 phone | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:21 |
| S51 | 52 | @ad<"20030717" and (cookie (session adj (id identifier))) with (cellular cell) near2 (telephone phone) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:21 |
| S52 | 2 | "20010047477" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/27 14:31 |
| S53 | 31 | @ad<"20030717" and (cookie (session adj (id identifier))) same embedded near2 (system device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 11:22 |
| S54 | 40 | @ad<"20030717" and (cookie (session adj (id identifier))) same (phone telephone cellular) and embedded near2 (system device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 12:35 |
| S55 | 65 | @ad<"20030717" and (embedded near2 (system device) phone pda) with (stor\$3 sav\$3) with (cookie) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 13:59 |

9/ 2/ 2008 12:10:38 PM

C:\Documents and Settings\jgee\My Documents\EAST\Workspaces\10621952.wsp